

**From:** Richard Rupert/R3/USEPA/US  
**Sent:** 1/19/2012 9:18:49 PM  
**To:** Ann DiDonato/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Re: Dimock update

I said at least..

---

Richard Rupert  
On-Scene Coordinator  
U.S.EPA  
1650 Arch Street - 3HS31  
Philadelphia, PA 19103  
(215) 814-3463 - office  
215 514 8773 - MOBILE  
rupert.richard@epa.gov

**From:** Ann DiDonato/R3/USEPA/US  
**To:** Richard Rupert/ESC/R3/USEPA/US  
**Date:** 01/19/2012 09:17 PM  
**Subject:** Re: Dimock update

2 hours??? At least 3 with purging I would guess....

Ann (Breslin) DiDonato  
On-Scene Coordinator  
US EPA Region III - Philadelphia  
Office 215-814-3311  
Cell 215-287-8157

**From:** Richard Rupert/R3/USEPA/US  
**To:** Trish Taylor/R3/USEPA/US  
**Cc:** Ann DiDonato/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA, Carrie Deitzel/R3/USEPA/US@EPA, Vance Evans/R3/USEPA/US@EPA, Helen Duteau/R3/USEPA/US@EPA  
**Date:** 01/19/2012 09:09 PM  
**Subject:** Re: Dimock update

Sampling will likely take at least 2 hours. So [Ex. 5 - Personal Privacy] would likely be late for work. We need to know if [Ex. 5 - Personal Privacy] has a water buffalo. If so no tap sample is required - sampling goes faster.

We will sample [Ex. 5 - Personal Privacy] on Monday afternoon.

Tuesday should be open for [Ex. 5 - Personal Privacy] either in morning or afternoon.

---

Richard Rupert  
On-Scene Coordinator  
U.S.EPA  
1650 Arch Street - 3HS31  
Philadelphia, PA 19103  
(215) 814-3463 - office  
215 514 8773 - MOBILE

rupert.richard@epa.gov

From: Trish Taylor/R3/USEPA/US  
To: Ann DiDonato/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Richard Rupert/ESC/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA, Carrie Deitzel/R3/USEPA/US@EPA, Vance Evans/R3/USEPA/US@EPA  
Cc: Helen Duteau/R3/USEPA/US@EPA  
Date: 01/19/2012 07:42 PM  
Subject: Re: Dimock update

Sampling Scheduled appts.

**Ex. 6 - Personal Privacy** property = Sampling appointment for **Monday** Jan 23rd, No time has been designated so we can call to confirm

**Sautner** property = At the moment we have them down for **Monday** Jan 23rd ~3 p.m. (this was before I knew about the 8a.m. and 1 p.m. time slots) We can talk about rescheduling when we fill their water buffalo tomorrow. I already approached the subject by saying that we "may have a different crew coming in and may need to push it into Tuesday, but lets talk tomorrow... blah blah..."

On **Tuesday**, Jan 24 between 8 and 8:30 a.m. the **Ex. 6 - Personal Privacy** are scheduled for sampling. **Ex. 6 - Personal Privacy** and would like to be present for the sampling.

Also on **Tuesday**, Jan 24, at 1 p.m. the **Ex. 6 - Personal Privacy** are scheduled for sampling. There schedule is flexible if this turns out to be a bad time. We can confirm with them when we fill their water buffalo tomorrow. (Also mentioned that we'll need to change plumbing over to WB instead of the well).

I'm leaving the office and heading to Clark Summit. Call my cell if any ?s

I have ~100 fact sheets printed out. Carrie Deitzel is meeting me at the hotel as soon as she gets to town tomorrow a.m. to help distribute.

Trish Taylor, Community Involvement Coordinator  
Hazardous Site Cleanup Division  
U.S. Environmental Protection Agency, Region 3  
1650 Arch Street, Philadelphia, PA  
phone: (215) 814 - 5539  
fax: (215) 814 - 5031

From: Ann DiDonato/R3/USEPA/US  
To: Trish Taylor/R3/USEPA/US  
Date: 01/19/2012 07:27 PM  
Subject: Re: Call list status update

Thanks - guess I will see you in the am. I am staying right around the corner. Want to meet for bkfst?

----- Original Message -----

**From:** Trish Taylor  
**Sent:** 01/19/2012 07:25 PM EST  
**To:** Richard Fetzer; Ann DiDonato  
**Cc:** Kathy Hodgkiss; Helen Duteau; Dennis Carney  
**Subject:** Call list status update

The 4 residences that are getting water have been called. 1 out of the 4 is not home and does not have an answering machine **Ex. 6 - Personal Privacy** We are continuing our efforts.

The 4 remaining of the eight that thought they were getting water, but are not, have been contacted.

These 8 and an additional 34 residents have been contacted -- for a total of **42**. There are a few residents that have either disconnected numbers or no answer/no machine. We will continue to work on contacting these folks in the morning.

As of tonight, we called all residents that we have working numbers for and know that we will be sampling. There are an additional 13 residents that may be sampled. We are looking into that possibility before calling them over the weekend.

Call my cell if any questions 215) 514 2732

Thank you Kathy, Helen and Alex for your help.

Trish Taylor, Community Involvement Coordinator  
Hazardous Site Cleanup Division  
U.S. Environmental Protection Agency, Region 3  
1650 Arch Street, Philadelphia, PA  
phone: (215) 814 - 5539  
fax: (215) 814 - 5031